Substance Use Frequency Amount Risk – Identification (SUFARI) 2019 v1
Ward/Site
Name
NHS Number
dob

Level 1 For all new admissions, enter findings of this form on SUFARI /physical assessment form (JADE/Sys1) after initial assessment or risk assessment)

1	Drinks alcohol	no	yes*
2	Currently uses illicit / unprescribed drugs	no	yes*
3	Smokes /uses tobacco	no	yes

If all "no" you do not need to complete Level 2, just sign and date, then scan this form.

Level 2 The purpose of this is to identify levels of use and prompt for RISK

Alcohol AUDIT - C screening tool

Answer these questions for the last year (complete yellow/shaded boxes):

How often do you have a drink containing alcohol? (circle one)	Never	or	nthly less (1)	2 to 4 times per month (2)	2 to times wee	per p	4 to 6 er week (4)	27.	ILY 4)
How many units of alcohol do you drink on a typical drinking day? (circle one)	1 - 2	3 - 4	5 - 6 (2)	7 - 9 (3)	10-15	16-20 (4)	21-30 (4)	Over 30	How many units?
How often have you had 6 or more units if female, 8 or more if male, in a drinking session? Never Less than monthly (0) (1)		nthly	Monthly (2)	Wee	•	Daily most days (4)			
Scoring: A total of 5 or more indicates increasing or higher risk drinking. Risk of withdrawals increases above 15 units daily If >5 complete further alcohol assessment, including full AUDIT						TOTAL S	Score /12		

In service user's words, record type & name of drink (include amount such as cans, bottles, glasses etc)	What is this in standard units
Client's Comments?	Wants to stop? YES NO Wants to reduce? YES NO
Assessor's comments	Is this a risk factor? YES NO (see interventions at end of form)

^{*&}quot;yes" requires Level 2 below. On JADE tobacco use should be entered on physical health form (SHINE project).

Substance Use Frequency Amount Risk – Identification (SUFARI) 2019 v1

Ward/Site date

Name NHS Number dob

HAVE YOU EVER USED ANY OF THE FOLLOWING SUBSTANCES/DRUGS?

(if "never", circle a	and move on. If "past", put	last use and	d "risk")	
Cannabis	[skunk, weed]	NEVER	PAST	CURRENT	
Client's Comments (daily amount, frequency, most recent) As	ssessor's	s Comments	
Wants to stop? YES	NO	Is	this a risl	k factor? YES	S NO
Opiates Heroin Metha			NEVER NEVER	PAST CURI	
·	norphine, codeine phosphate, Dih daily amount, frequency, route, withd			PAST CURI	RENT
Prescribed? YES No		NO	this a risl	k factor? YES	S NO
Benzodiazepine	PS [Diazepam, Lora:	zepam]	NEVER	PAST CUR	RENT
Prescribed? YES No	O Wants to stop? YES	NO Is	this a risl	k factor? YES	5 NO
Cocaine	[powder, Crack]			NEVER PAST	CURRENT
Amphetamine	[Speed]			NEVER PAS	T CURRENT
Methamphetan	nine [Crystal, Tina, M	eth, Crank, Ice]		NEVER PAS	T CURRENT
Mephedrone	[Meow, mCat]			NEVER PAS	T CURRENT
Ketamine				NEVER PAS	T CURRENT
GHB/GBL/G	[Liquid ecstasy]			NEVER PAS	T CURRENT
Khat, Cathinone	es			NEVER PAS	T CURRENT
Spice	["synthetic cann	abis"]		NEVER PAS	T CURRENT
MDMA, Ecstasy	, LSD			NEVER PAS	T CURRENT
Steroids				NEVER PAS	T CURRENT
		ostances]			

Any other drugs not included above (for novel psychoactives: stimulant, depressant or hallucinogen)

Substance Use Frequency Ward/Site	Amount Risk – Identification (SUFA	ARI) 2019 v1 date
Name	NHS Number	dob
Drug use summary Client's Comments (daily amo	for above list from Cocaine to Other ount, frequency) Assesso	or's Comments
		risk factor? YES NO
Wants to stop? YES NO		
Urine Drug Screen (UDS) Record urine screens or other	done? YES REFUSED substance use tests on physical health for	TO BE DONE LATER orm or in the service user notes.
If AUDIT-C score is 6 or m [] Brief advice given [] Brief advice later [] Brief advice decline [] Referral made	nore, alcohol intervention is require	ed. Please select one
Date of Alcohol Intervent	ion	
Current or past involvem YES NO	ent with any alcohol/ drugs/ addic If so, please say which one	
•	ıbstance Use in Mental Health /Du	
YES NO	If so, please say which one	e most recently.
Referral to local drugs se State name of service, and fur	rvice? YES NO rther info such as outcome of referral sho	ould be in care plan and notes.
Completed by Role		Date

Substance Use Frequency Amount Risk – Identification (SUFARI) 2019 v1



'Low Alcohol' Beer, Lager & Cider	Bottle (330ml)	Can (440ml)	Pint (568ml)	Litre
2%	0.7 units	0.9 units	1.1 units	2 units
Beer, Lager & Cider	Bottle (330ml)	Can (440ml)	Pint (568ml)	Litre
4%	1.3 units	1.8 units	2.3 units	4 units
5%	1.7 units	2.2 units	2.8 units	5 units
5.2%	1.7 units	2.3 units	3 units	5.2 units
6%	2 units	2.6 units	3.4 units	6 units
'Super-Strength' Beer, Lager & Cider	Bottle (330ml)	Can (440ml)	Pint (568ml)	Litre
9%	3 units	4 units	5 units	9 units
Alcopops	1 Bottle (275ml)			
5%	1.4 units			
Wine & Champagne (red, white, rose or sparkling)	Small glass (125ml)	Standard glass (175ml)	Large glass (250ml)	Bottle (750ml)
10%	1.25 units	1.75 units	2.5 units	7.5 units
11%	1.4 units	1.9 units	2.8 units	8.3 units
12%	1.5 units	2.1 units	3 units	9 units
12.5%	1.6 units	2.2 units	3.1 units	9.4 units
13%	1.6 units	2.3 units	3.3 units	9.8 units
13.5%	1.7 units	2.4 units	3.4 units	10.1 units
14%	1.75 units	2.5 units	3.5 units	10.5 units
Fortified wine (Sherry & Port)	Standard measure	(50ml)		
17.5-20%	0.9-1 unit			

Useful links to help calculate standard units of alcohol.

www.nhs.uk/Livewell/alcohol/Pages/Alcoholhome.aspx

www.nhs.uk/Change4Life/Pages/alcohol-lower-risk-guidelines-units.aspx

and some up to date info on the drugs

www.talktofrank.com/drugs-a-z